

What are commodity codes used for?

The Fluidwell commodity codes (also known as trade tariff codes) are used for the customs declarations when importing and exporting Fluidwell products. You declare the value and content of the goods. The declaration is a legal document that lets customs authorities know you're paying the right amount in tax and duties.

Fluidwell products

9026 90 00	All products within the following product series: <ul style="list-style-type: none"> - B-Series Indicators - C-Series Flow Computers - D-Series Indicators - E-Series Indicators - F-Series Indicators - N-Series Batch Controllers
9026 90 00	All custom made OEM indicators.

Batteries

8506 50 10	SPB02: PB - Internal supply - long life time - Safe area applications only!
8506 50 10	SPB03: PB - Internal supply - long life time - Safe area applications only! With retrofit battery clamp for installed FO-Series.
8506 50 10	SPB04: Single AA-cell Lithium battery, for the B-Series.
8506 50 10	SPC02: PC - FW-Internal power supply - long life time - Intrinsically Safe.
8506 50 10	SPC03: PC - FW-Internal power supply - long life time - Intrinsically Safe. With retrofit battery clamp for installed FO-Series.

General spare parts

8536 90 10	STC01: Set of terminal connectors. Specify: product series, model, serial number and terminal coding.
8536 30 30	SFU01: Set of fuses for the F-Series & D-Series (10 pcs.).
3919 90 80	SFS01: Logo stickers for front casing (10 pcs.). Specify: product series.
9026 90 00	SES01: E-series Basic Supply Module (BSM).
9026 90 00	SES02: E-series Relay Supply Module (RSM).
7326 90 94	ACN01: Shock proof, stainless steel, mounting brackets (2pcs).
8536 49 00	SRN01: Set of field replaceable, mechanical make-and-break (NO-NC) relays for the N-Series (2 pcs.).

Printer accessories

8543 70 90	ACP01: Ap 1300 - Thermal portable printer (incl. cables and battery charger).
8543 70 90	ACP02: Ap 1400 - Thermal panel printer with standard 9V DC to 36V DC power supply (incl. cables).
8543 70 90	ACP03: Ap 1400 - Thermal panel printer with external 100 - 240V AC power supply (incl. cables).

Intrinsically safe isolators

8536 30 10	ACG01: MTL5511. I.S. one channel switch output > mechanic relay.
8536 30 10	ACG02: MTL5525. I.S. power supply.
8536 30 10	ACG03: MTL5541. I.S. 4-20mA repeater to safe area.
8536 30 10	ACG04: MTL5051. I.S. serial comm. isolator for TTL > RS422/232.
8536 30 10	ACG05: MTL5516C. I.S. two channel switch output > mechanic relay.
8536 30 10	ACG06: MTL5513. I.S. two channel switch output > floating solid state.
8536 30 10	ACG07: MTL5546. 4-20mA isolator from safe to hazardous area.
8536 30 10	ACG08: MTL5541AS. I.S. 4-20mA repeater for HART communication to safe area, with current sink for safe area connection.
8536 30 10	ACG09: MTL7787+. I.S. digital (on/off) zener diode barrier.

Front cover spare parts

3926 90 97	SBF01: GRP B-Series front cover with "select / clear" keypad, with Fluidwell brand.
3926 90 97	SBF02: GRP B-Series front cover with "start / stop" keypad, with Fluidwell brand.
3926 90 97	SBF03: GRP B-Series front cover with "select / clear" keypad, without branding.
3926 90 97	SBF04: GRP B-Series front cover with "start / stop" keypad, without branding.
7616 99 10	SDF01: Aluminum D-Series frontcover with "select / clear" keypad, including gasket.
7616 99 10	SDF02: Aluminum D-Series frontcover with "start / stop" keypad, including gasket.
7616 99 10	SFF01: Aluminum F-Series front cover with "select / clear" keypad, including gasket.
7616 99 10	SFF02: Aluminum F-Series front cover with "start / stop" keypad, including gasket.
7616 99 10	SFF03: Aluminum F-Series front cover with "prog / up / down" keypad, including gasket.
3926 90 97	SFF04: GRP F-Series front cover with "select / clear" keypad, including gasket.
3926 90 97	SFF05: GRP F-Series front cover with "start / stop" keypad, including gasket.
3926 90 97	SFF06: GRP F-Series front cover with "prog / up / down" keypad, including gasket.
7325 10 00	SFF07: Stainless steel 316L F-Series front cover with "select / clear" keypad, including gasket.
7325 10 00	SFF08: Stainless steel 316L F-Series front cover with "start / stop" keypad, including gasket.
7325 10 00	SFF09: Stainless steel 316L F-Series front cover with "prog / up / down" keypad, incl. gasket.
7616 99 10	SFN01: Aluminum N-Series frontcover with numerical keypad, including gasket.

Back cover spare parts

3926 90 97	SBB01: GRP B-Series back cover, IP65 (Type4).
7616 99 10	SFB01: Aluminum field enclosure HA - IP67 / Type4X. Drilling: 2 x PG9 + 1 x M20.
7616 99 10	SFB02: Aluminum field enclosure HM - IP67 / Type4X. Drilling: 2 x M16 + 1 X M20.
7616 99 10	SFB03: Aluminum field enclosure HN - IP67 / Type4X. Drilling: 1 x M20.
7616 99 10	SFB04: Aluminum field enclosure HO - IP67 / Type4X. Drilling:2 x M20.
7616 99 10	SFB05: Aluminum field enclosure HP - IP67 / Type4X. Drilling:6 x M12.
7616 99 10	SFB06: Aluminum field enclosure HT - IP67 / Type4X. Drilling:1 x 1/2" NPT.
7616 99 10	SFB07: Aluminum field enclosure HU - IP67 / Type4X. Drilling: 3 x 1/2" NPT.
7616 99 10	SFB08: Aluminum field enclosure HV - IP67 / Type4X. Drilling: 4 X M20.
7616 99 10	SFB09: Aluminum field enclosure HZ - IP67 / Type4X. No holes.
3927 90 97	SFB10: GRP field enclosure HD - IP67 / Type4X. No holes.
3927 90 97	SFB11: GRP field enclosure HE - IP67 / Type4X. Drilling: 2 x 16mm + 1 x 20mm.
3927 90 97	SFB12: GRP field enclosure HF - IP67 / Type4X. Drilling: 1 x 22mm (0,87").
3927 90 97	SFB13: GRP field enclosure HG - IP67 / Type4X. Drilling: 2 x 20mm (0,79").
3927 90 97	SFB14: GRP field enclosure HH - IP67 / Type4X. Drilling: 6 x 12mm (0,47").
3927 90 97	SFB15: GRP field enclosure HJ - IP67 / Type4X. Drilling: 3 x 22mm (0,87").
3927 90 97	SFB16: GRP flat back field enclosure HK - IP67 / Type4X. No holes.
7616 99 10	SFB17: Aluminum field enclosure HL - IP67 / Type4X. Drilling: 2 x 1/2" NPT.
7616 99 10	SFB18: Extended Aluminum field enclosure HBM - IP67 / NEMA 4X. Drilling: 2 x M16 + 1 x M20.
7616 99 10	SFB19: Extended Aluminum field enclosure HBO - IP67 / NEMA 4X. Drilling: 2 x M20.
7616 99 10	SFB20: Extended Aluminum field enclosure HBU - IP67 / NEMA 4X. Drilling: 3 x 1/2" NPT.
7325 10 00	SFB21: Stainless steel 316L field enclosure HSM - IP67 / NEMA 4X. Drilling: 2 x M16 + 1 x M20.
7325 10 00	SFB22: Stainless steel 316L field enclosure HSO - IP67 / NEMA 4X. Drilling: 2 x M20.
7325 10 00	SFB23: Stainless steel 316L field enclosure HSU - IP67 / NEMA 4X. Drilling: 3 x 1/2" NPT.

E-Series - General accessories

8544 42 90	ACE01: Remote configuration and data log cable (2.0m/6.7ft) for option CU - Mini USB to USB.
8544 42 90	ACE02: Remote configuration cable (1.8m/5.9ft), for option CX to USB.
7326 90 98	ACE03: Stainless steel wall mounting kit (incl. screws+plugs).
7326 90 98	ACE04: Stainless steel pipe mounting kit, (wormgear clamps not incl., ACF06 - ACF09).
8544 42 90	ACE05: Shielded, two pins, 30cm (12") cable with Amphenol connector for turbine flowmeters.
8544 42 90	ACE06: Remote configuration cable (1.8m/5.9ft), for option CH - RS485 Communication to USB.
8544 42 90	ACE07: Remote configuration cable (1.8m/5.9ft), for option CB - RS232 Communication to USB.
8544 42 90	ACE08: Internal E-Series USB cable for option CU and HAA, HAB.
8544 42 90	ACE09: Internal E-Series USB cable for option CU and HSA, HSB.
8544 42 90	ACE10: Internal E-Series USB cable for option CU and HAG.
8544 42 90	ACE11: Internal E-Series USB cable for option CU and HSG.

F-Series - General accessories

7326 90 98	ACF02: Stainless steel wall mounting kit. (incl. screws and plugs)
7326 90 98	ACF05: Stainless steel pipe mounting kit. (worm gear clamps NOT included).
7318 19 00	ACF06: Two stainless steel worm gear clamps. D=44 - 56mm (1.73" - 2.20").
7318 19 00	ACF07: Two stainless steel worm gear clamps. D=58 - 75mm (2.29" - 2.95")
7318 19 00	ACF08: Two stainless steel worm gear clamps. D=77 - 95mm (3.04" - 3.74").
7318 19 00	ACF09: Two stainless steel worm gear clamps. D=106 - 138mm (4.18" - 5.43").
3917 40 00	ACF11: Swivel with 25° movement from center axis for direct flowmeter mounting: 1" NPT to 1/2" NPT.
7326 90 98	ACF12: Stainless steel plate for conduit hub earthing in plastic HGL/HGT enclosure, without conduit hub.

F-Series - Cable glands

3926 90 97	ACF20: Polyamide cable glands for HA: 2 x PG9, 1 x M20 incl. O-rings.
3926 90 97	ACF25: Polyamide cable glands for HE: 2 x M16, 1 x M20 incl. locknut and O-rings.
3926 90 97	ACF26: Polyamide cable glands for HF: 1 x M20 incl. locknut and O-ring.
3926 90 97	ACF27: Polyamide cable glands for HH: 6 x M12 incl. locknuts and O-rings.
3926 90 97	ACF28: Polyamide cable glands for HH: 6 x M12 incl. locknuts and O-rings.
3926 90 97	ACF29: Polyamide cable glands for HJ: 3 x M20 incl. locknuts and O-rings.
3926 90 97	ACF31: Polyamide cable glands for HL: 2 x 1/2" NPT incl. O-rings.
3926 90 97	ACF32: Polyamide cable glands for HM/HBM/ HSM: 2 x M16, 1 x M20 incl. O-ring.
3926 90 97	ACF33: Polyamide cable glands for HN: 1 x M20 incl. O-ring.
3926 90 97	ACF34: Polyamide cable glands for HO/HBO/ HSO: 2 x M20 incl. O-rings.
3926 90 97	ACF35: Polyamide cable glands for HP: 6 x M12 incl. O-rings.
3926 90 97	ACF39: Polyamide cable glands for HT: 1 x 1/2" NPT incl O-Ring.
3926 90 97	ACF40: Polyamide cable glands for HU/HBU/ HSU: 3 x 1/2" NPT incl O-Rings.
3926 90 97	ACF41: Polyamide cable glands for HV: 4 x M20 incl. O-rings.

F-Series - Blind plugs

3926 90 97	ACF50: Polyamide blind plugs for HA: 2 x PG9, 1 x M20 incl. O-rings.
3926 90 97	ACF55: Polyamide blind plugs for HE: 2 x M16, 1 x M20 incl. locknut and O-rings.
3926 90 97	ACF56: Polyamide blind plugs for HF: 1 x M20 incl. locknut and O-ring.
3926 90 97	ACF57: Polyamide blind plugs for HH: 6 x M12 incl. locknuts and O-rings.
3926 90 97	ACF58: Polyamide blind plugs for HH: 6 x M12 incl. locknuts and O-rings.
3926 90 97	ACF59: Polyamide blind plugs for HJ: 3 x M20 incl. locknuts and O-rings.
3926 90 97	ACF61: Polyamide blind plugs for HL: 2 x 1/2" NPT incl. O-rings.
3926 90 97	ACF62: Polyamide blind plugs for HM/HBM/ HSM: 2 x M16, 1 x M20 incl. O-ring.
3926 90 97	ACF63: Polyamide blind plugs for HN: 1 x M20 incl. O-ring.
3926 90 97	ACF64: Polyamide blind plugs for HO/HBO/ HSO: 2 x M20 incl. O-rings.
3926 90 97	ACF65: Polyamide blind plugs for HP: 6 x M12 incl. O-rings.
3926 90 97	ACF69: Polyamide blind plugs for HT: 1 x 1/2" NPT incl O-Ring.
3926 90 97	ACF70: Polyamide blind plugs for HU/HBU/ HSU: 3 x 1/2" NPT incl O-Rings.
3926 90 97	ACF71: Polyamide blind plugs for HV: 4 x M20 incl. O-rings.

E-Series - Brass nickel reducers

7415 39 00	ARB01: Reducer 1" NPT to 3/4" NPT Brass Nickel Plated.
7415 39 00	ARB02: Reducer 1" NPT to 1/2" NPT Brass Nickel Plated.
7415 39 00	ARB03: Reducer 3/4" NPT to 1/2" NPT Brass Nickel Plated.
7415 39 00	ARB04: Reducer M25 to M20 Brass Nickel Plated.
7415 39 00	ARB05: Reducer 3/4" NPT to M20 Brass Nickel Plated.
7415 39 00	ARB06: Reducer M25 to 1" NPT Brass Nickel Plated.

E-Series - Stainless steel reducers

7318 19 00	ARS01: Reducer 1" NPT to 3/4" NPT Stainless Steel.
7318 19 00	ARS02: Reducer 1" NPT to 1/2" NPT Stainless Steel.
7318 19 00	ARS03: Reducer 3/4" NPT to 1/2" NPT BStainless Steel.
7318 19 00	ARS04: Reducer 3/4" NPT to 1/2" NPT Stainless Steel.
7318 19 00	ARS05: Reducer 3/4" NPT to M20 Stainless Steel.
7318 19 00	ARS06: Reducer M25 to 1" NPT Stainless Steel.

E-Series - Brass nickel plated blind plugs

7415 33 00	ABB01: Blind plug M20 Brass Nickel Plated.
7415 33 00	ABB02: Blind plug M25 Brass Nickel Plated.
7415 33 00	ABB03: Blind plug 1/2" NPT Brass Nickel Plated.
7415 33 00	ABB04: Blind plug 3/4" NPT Brass Nickel Plated.
7415 33 00	ABB05: Blind plug 1" NPT Brass Nickel Plated.
7415 33 00	ABB06: Blind plug + reducer M25 Brass Nickel Plated for option CU - USB communication.
7415 33 00	ABB07: Blind plug + reducer 3/4" NPT Brass Nickel Plated for option CU - USB communication.

E-Series - Stainless steel blind plugs

7318 15 62	ABS01: Blind plug M20 Stainless Steel.
7318 15 62	ABS02: Blind plug M25 Stainless Steel.
7318 15 62	ABS03: Blind plug 1/2" NPT Stainless Steel.
7318 15 62	ABS04: Blind plug 3/4" NPT Stainless Steel.
7318 15 62	ABS05: Blind plug 1" NPT Stainless Steel.
7318 15 62	ABS06: Blind plug + reducer M25 Stainless Steel for option CU - USB communication.
7318 15 62	ABS07: Blind plug + reducer 3/4" NPT Stainless Steel for option CU - USB communication.